W

	Application No.	Applicant(s)
Notice of Allowability	10/666,016	DARLINGTON ET AL.
	Examiner	Art Unit
	Dr. Kelechi C. Egwim	1713
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the filing on 09/18/2003.		
2. The allowed claim(s) is/are <u>1-27</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Notice of Informal F	Patent Application (PTO-152)
 Notice of References Clea (P10-692) Dotice of Draftperson's Patent Drawing Review (PT0-948) 	6. ☐ Interview Summary	
	Paper No./Mail Da	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1, 031104 &122004 	•	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
·	9. 🗌 Other	
•		•
•		

Application/Control Number: 10/666,016

Art Unit: 1713

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard H. Anderson on 9/27/05.

The application has been amended as follows:

IN THE CLAIMS

In claim 1, line 1 after "water barrier", insert ---, in a shape of a rod or rope, having a length to width ratio of at least 10, --.

In claim 1, line 2 after "flow", insert a comma.

In claim 2, line 2, delete "c oated c ontinuously" and substitute thereof --coated continuously--.

In claim 11, line 1, delete "b arrier" and substitute thereof –barrier --.

In claim 11, line 1, delete "t he s mectite" and substitute thereof – the smectite --.

In claim 27, line 1, delete "15" and substitute thereof -24 --.

2. The following is an examiner's statement of reasons for allowance:

Application/Control Number: 10/666,016

Art Unit: 1713

Various prior art, such as US4,534,926, US5,552,469, US6,417,262, US6,486,254 and US6,610,793, teach extruded compositions, some water-swellable and some with high moisture barriers, contained sometimes intercalated clay.

However, none of the prior art was found to teach or sufficiently suggest the claimed water barriers in the shape of a rod or rope, having a length to width ratio of at least 10, comprising a co-extruded composition of a water-penetrable coating layer over an underlining core of a flexible, water-impermeable, clay-containing composition, said coating layer having a predetermined water-penetration rate to allow for wetting of the coating layer during installation without hydrating the underlying clay, and said water barrier being adapted to be secured to an area of potential water flow.

Thus, claims 1-15 to the water barrier and claims 16-27 to the method of preparing the water barrier are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Kelechi C. Egwim whose telephone number is (571) 272-1099. The examiner can normally be reached on M-T (7:30-6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu can be reached on (571) 272-1114. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KELECHI C. EGWIM PH.D. PRIMARY EXAMINER

KCE